

IN THE CLAIMS

Please amend the Claims as follows:

1 (Previously Presented). A multi use circuit module comprising:

a front half module, the front half module being a functional circuit module having electrical contacts on a front portion thereof, the front half module having a channeling formed on the rear section thereof, the channeling running from a side wall of the front half module along a length of the front half module;

a rear half module removably coupled to the front half module, a tab member formed on a front portion of the rear half module;

at least one locking ball formed on a surface within the channeling; and

at least one indentation formed on the tab member, the at least one indentation being similar in size and shape to the at least one locking ball and mating with the at least one locking ball when the tab member is slid within the channeling to lock the front half module to the rear half module.

2 (Original). A multi use circuit module in accordance with Claim 1 wherein the rear half module is an electrically non-functional component, the rear half module being coupled to the front half module to standardize a size of the multi use circuit module.

3 (Cancelled).

4 (Cancelled).

5 (Cancelled).

6 (Cancelled).

7 (Cancelled).

8 (Cancelled).

9 (Cancelled).

10 (Cancelled).

11 (Cancelled).

12 (Cancelled).

13 (Cancelled).

14 (Cancelled).

15 (Cancelled).

16 (Cancelled).

17 (Cancelled).

18 (Cancelled).

19 (Previously Presented). A multi use circuit module in accordance with Claim 1 wherein the at least one locking ball extends downward from a top surface of the channeling.

20 (Previously Presented). A multi use circuit module in accordance with Claim 19 wherein the at least one indentation is formed on a top surface of the tab member.

21 (Previously Presented). A multi use circuit module in accordance with Claim 1 wherein the at least one locking ball is semi-spherical in shape.

22 (Previously Presented). A multi use circuit module in accordance with Claim 1 wherein the front half module is a memory card, the rear half module removably coupled to the front half module to standardize a size of the memory card.

23 (Cancelled).

24 (Cancelled).

25 (Cancelled).

26 (Cancelled).

27 (Cancelled).

28 (Cancelled).

29 (Cancelled).

30 (Cancelled).

31 (Cancelled).

32 (Cancelled).

33 (Cancelled).

34 (New). A multi use circuit module in accordance with Claim 1 further comprising:

a plurality of locking balls formed on a surface within the channeling; and

a plurality of indentations formed on the tab member, the indentations being similar in size and shape to the locking balls and mating with the locking balls when the tab member is slid within the channeling to lock the front half module to the rear half module.

35 (New). A multi use circuit module in accordance with Claim 34 wherein the locking balls extend downward from a top surface of the channeling.

36 (New). A multi use circuit module in accordance with Claim 35 wherein the indentations are formed on a top surface of the tab member.

37 (New). A multi use circuit module in accordance with Claim 34 wherein the locking balls are semi-spherical in shape.

38 (New). A multi use circuit module in accordance with Claim 1 wherein the rear half module is an electrically non-functional component.